




NXC5200設定觀念及建議步驟





NXC5200 for AP Profile

The screenshot shows the ZyXEL NXC5200 web interface. The left sidebar has a gear icon highlighted. The main content area is under the '無線電' (Wireless) tab, with the 'SSID' sub-tab selected. The 'SSID 清單' (SSID List) table is visible:

#	設定組合名稱	SSID	安全設定組合	QoS	前送模式	MAC 過濾設定組合	VLAN ID
1	default	CTCN	default	WMM	localbridge	disable	1

The screenshot shows the ZyXEL NXC5200 web interface. The left sidebar has a gear icon highlighted. The main content area is under the '無線電' (Wireless) tab, with the '安全清單' (Security List) sub-tab selected. The '安全摘要' (Security Summary) table is visible:

#	設定組合名稱	安全模式
1	default	none

The screenshot shows the ZyXEL NXC5200 web interface. The left sidebar has a gear icon highlighted. The main content area is under the '無線電' (Wireless) tab, with the '無線電摘要' (Wireless Summary) sub-tab selected. The '無線電摘要' (Wireless Summary) table is visible:

#	設定組合名稱	頻帶	頻道
1	default	2.4G	11



Add AP Profile > Radio

ZyXEL NXC5200

CONFIGURATION

- Licensing
- Wireless
 - Controller
 - AP Management
 - MON Mode
 - Load Balancing
 - DCS
- Network
 - Interface
 - Routing
 - Zone
 - NAT
 - ALG
 - IP/MAC Binding
- Captive Portal
- Firewall
- App Patrol
- Anti-X
 - Anti-Virus
 - IDP
 - ADP
- Device HA
- Object
 - User/Group
 - AP Profile

Radio Summary

#	Profile Name	Frequency Band	Channel ID
1	default	2.4G	7
2	profile1	2.4G	3

Page 1 of 1 | Show 50 items

Edit Radio Profile default

Show Advanced Settings | Create new Object

General Settings

- Activate
- Profile Name: default
- 802.11 Band: 2.4G
- Channel: 7

MBSSID Settings

#	SSID Profile
1	default
2	Profile2_for_Radius_Test
3	disable
4	disable
5	disable
6	disable
7	disable
8	disable

OK | Cancel



NXC5200 for AP Management

CONFIGURATION

- Licensing
- Wireless
 - Controller
 - AP Management**
 - MON Mode
 - Load Balancing
 - DCS
 - Network
 - Interface

Mgmt. AP List

Managed AP List

Edit Remove Reboot

#	IP Address	MAC Address	Model	R1 Mode / Profile	Description
1	10.1.126.15	40:4A:03:05:82:46	NWA5160N	AP / default	AP-404A03058246
2	0.0.0.0	40:4A:03:42:64:E5	N/A	AP / default	AP-404A034264E5

Page 1 of 1 | Show 50 items | Displaying 1 - 2 of 2

Edit AP List

Create new Object ▾

General Settings

MAC Address: 40:4A:03:05:82:46

Model: NWA5160N

Description: AP-404A03058246

Radio 1 OP Mode: AP Mode MON Mode

Radio 1 Profile: **default**

VLAN Settings

Management VLAN ID: 1 (1~4094)

As Native VLAN

OK Cancel